

Ενδοκρινολογία

Agreed Description	CPT Code	CPT Description	CPT Weight
Πρώτη επίσκεψη (Consultation)	99201	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A problem focused history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 10 minutes face-to-face with the patient and/or family.	1.26
	99202	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 20 minutes face-to-face with the patient and/or family.	2.12
	99203	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A detailed history; A detailed examination; Medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity. Physicians typically spend 30 minutes face-to-face with the patient and/or family.	3.05
	99204	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 45 minutes face-to-face with the patient and/or family.	4.65
	99205	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 60 minutes face-to-face with the patient and/or family.	5.85

Ενδοκρινολογία

Agreed Description	CPT Code	CPT Description	CPT Weight
Επιπρόσθετη επίσκεψη (Follow-up consultation)	99211	Office or other outpatient visit for the evaluation and management of an established patient, that may not require the presence of a physician. Usually, the presenting problem(s) are minimal. Typically, 5 minutes are spent performing or supervising these services.	0.61
	99212	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A problem focused history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 10 minutes face-to-face with the patient and/or family.	1.24
	99213	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: An expanded problem focused history; An expanded problem focused examination; Medical decision making of low complexity. Counseling and coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 15 minutes face-to-face with the patient and/or family.	2.06
	99214	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A detailed history; A detailed examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family.	3.04
	99215	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family.	4.10

Ενδοκρινολογία

Agreed Description	CPT Code	CPT Description	CPT Weight
Εφαρμογή συνεχούς παρακολούθησης σακχάρου (Continuous Glucose Monitoring System - CGMS)	95250	Ambulatory continuous glucose monitoring of interstitial tissue fluid via a subcutaneous sensor for a minimum of 72 hours; sensor placement, hook-up, calibration of monitor, patient training, removal of sensor, and printout of recording	4.35
Ερμηνεία συνεχούς παρακολούθησης σακχάρου (CGMS interpretation)	95251	Ambulatory continuous glucose monitoring of interstitial tissue fluid via a subcutaneous sensor for a minimum of 72 hours; interpretation and report	1.02
Αναρρόφηση λεπτής βελόνης (FNA) όζων θυρεοειδούς (ανά όζον)	10021	Fine needle aspiration; without imaging guidance	3.47
Αναρρόφηση λεπτής βελόνης (FNA) λεμφαδένων λαιμού για καρκίνο θυρεοειδούς			
Υπερηχογράφημα θυρεοειδούς	76536	Ultrasound, soft tissues of head and neck (eg, thyroid, parathyroid, parotid), real time with image documentation	3.5
Αναρρόφηση λεπτής βελόνης (FNA) κατευθυνόμενη με υπέρηχο, 1 όζος	10022	Fine needle aspiration; with imaging guidance	4.00
Αναρρόφηση λεπτής βελόνης (FNA) κατευθυνόμενη με υπέρηχο, 2 όζοι			
Αναρρόφηση λεπτής βελόνης (FNA) κατευθυνόμενη με υπέρηχο, 3 όζοι			
DXA οστεοπύρωση (μέτρηση οστικής πυκνότητας) DXA πλάγιο (LATERAL BMD)	77080	Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; axial skeleton (eg, hips, pelvis, spine)	3.34
DXA αντιβραχίου	77081	Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; appendicular skeleton (peripheral) (eg, radius, wrist, heel)	1.77
Εξέταση διαλογής άπνοιας (apnea screening)	95800	Sleep study, unattended, simultaneous recording; heart rate, oxygen saturation, respiratory analysis (eg, by airflow or peripheral arterial tone), and sleep time	5.02
Έμμεση θερμιδομετρία για μέτρηση βασικού μεταβολισμού για ασθενείς που πληρούν συγκεκριμένα προκαθορισμένα κλινικά κριτήρια	94690	Oxygen uptake, expired gas analysis; rest, indirect (separate procedure)	1.58

Ενδοκρινολογία

Agreed Description	CPT Code	CPT Description	CPT Weight
Χορήγηση ραδιενεργού ιωδίου για θεραπεία υπερθυρεοειδισμού	79005	Radiopharmaceutical therapy, by oral administration	3.90
Χορήγηση ραδιενεργού ιωδίου για καρκίνο θυρεοειδούς	77470	Special treatment procedure (eg, total body irradiation, hemibody radiation, per oral or endocavitary irradiation)	3.89
Ηλεκτροκαρδιογράφημα	93000	Electrocardiogram, routine ECG with at least 12 leads; with interpretation and report	0.48
Συνεχής παρακολούθηση αρτηριακής πίεσης (24 ώρες)	93790	Ambulatory blood pressure monitoring, utilizing a system such as magnetic tape and/or computer disk, for 24 hours or longer; physician review with interpretation and report	7
Doppler καρωτίδων	93880	Duplex scan of extracranial arteries; complete bilateral study	3.55
Doppler κάτω άκρων	93925	Duplex scan of lower extremity arteries or arterial bypass grafts; complete bilateral study	7.04
	93970	Duplex scan of extremity veins including responses to compression and other maneuvers; complete bilateral study	7