

## Ορθοπαιδική

Agreed Description	CPT Code	CPT Description	CPT Weight
Πρώτη επίσκεψη (Consultation)	99201	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A problem focused history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 10 minutes face-to-face with the patient and/or family.	1.26
	99202	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 20 minutes face-to-face with the patient and/or family.	2.12
	99203	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A detailed history; A detailed examination; Medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity. Physicians typically spend 30 minutes face-to-face with the patient and/or family.	3.05
	99204	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 45 minutes face-to-face with the patient and/or family.	4.65

## Ορθοπαιδική

Agreed Description	CPT Code	CPT Description	CPT Weight
	99205	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 60 minutes face-to-face with the patient and/or family.	5.85

## Ορθοπαιδική

Agreed Description	CPT Code	CPT Description	CPT Weight
Επιπρόσθετη επίσκεψη (Follow-up consultation)	99211	Office or other outpatient visit for the evaluation and management of an established patient, that may not require the presence of a physician. Usually, the presenting problem(s) are minimal. Typically, 5 minutes are spent performing or supervising these services.	0.61
	99212	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A problem focused history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 10 minutes face-to-face with the patient and/or family.	1.24
	99213	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: An expanded problem focused history; An expanded problem focused examination; Medical decision making of low complexity. Counseling and coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 15 minutes face-to-face with the patient and/or family.	2.06
	99214	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A detailed history; A detailed examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 25 minutes face-to-face with the patient and/or family.	3.04
	99215	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 40 minutes face-to-face with the patient and/or family.	4.10

## Ορθοπαιδική

Agreed Description	CPT Code	CPT Description	CPT Weight
Εφαρμογή νάρθηκα - Βραχιονοπηχεοκαρπικός	29105	Application of long arm splint (shoulder to hand)	2.52
Εφαρμογή νάρθηκα - Πηχεοκαρπικός	29125	Application of short arm splint (forearm to hand); static	1.86
Εφαρμογή νάρθηκα - Μηροκνημοποδικός	29505	Application of long leg splint (thigh to ankle or toes)	2.44
Εφαρμογή νάρθηκα - Κνημοποδικός	29405	Application of short leg cast (below knee to toes);	2.33
Εφαρμογή γύψινου επιδέσμου - Κνημοποδικός			
Εφαρμογή νάρθηκα - Ποδικός	29515	Application of short leg splint (calf to foot)	2.06
Εφαρμογή γύψινου επιδέσμου - Ποδικός			
Εφαρμογή γύψινου επιδέσμου - Βραχιονοπηχεοκαρπικός	29065	Application, cast; shoulder to hand (long arm)	2.76
Εφαρμογή γύψινου επιδέσμου - Πηχεοκαρπικός	29075	Application, cast; elbow to finger (short arm)	2.49
Εφαρμογή γύψινου επιδέσμου - Μηροκνημοποδικός	29345	Application of long leg cast (thigh to toes);	3.90
Αφαίρεση γύψινου επιδέσμου			
Αφαίρεση νάρθηκα	29700	Removal or bivalving; gauntlet, boot or body cast	1.86
Αλλαγή γύψου - Βραχιονοπηχεοκαρπικός			
Αλλαγή γύψου - Πηχεοκαρπικός			

## Ορθοπαιδική

Agreed Description	CPT Code	CPT Description	CPT Weight
Αλλαγή γύψου - Πηχεοκαρπικός	29705	Removal or bivalving; full arm or full leg cast	1.90
Αλλαγή γύψου - Μηροκνημοποδικός			
Αλλαγή γύψου - Κνημοποδικός			
Αλλαγή γύψου - Ποδικός			

## Ορθοπαιδική

Agreed Description	CPT Code	CPT Description	CPT Weight
Ανάταξη εξarthρήματος (δακτυλικών αρθρώσεων, επιγονατίδας, ώμου)	23650	Closed treatment of shoulder dislocation, with manipulation; without anesthesia	9.02
	26700	Closed treatment of metacarpophalangeal dislocation, single, with manipulation; without anesthesia	9.26
	26770	Closed treatment of interphalangeal joint dislocation, single, with manipulation; without anesthesia	7.90
	27560	Closed treatment of patellar dislocation; without anesthesia	10.43
Ανάταξη κατάγματος υπό τοπική νάρκωση	26725	Closed treatment of phalangeal shaft fracture, proximal or middle phalanx, finger or thumb; with manipulation, with or without skin or skeletal traction, each	9.63
	26742	Closed treatment of articular fracture, involving metacarpophalangeal or interphalangeal joint; with manipulation, each	10.60
	26755	Closed treatment of distal phalangeal fracture, finger or thumb; with manipulation, each	9.00
Ενδοαρθρικές ενέσεις Παρακέντηση ή παροχέτευση - άρθρωσης	20600	Arthrocentesis, aspiration and/or injection; small joint or bursa (eg, fingers, toes)	1.37
	20605	Arthrocentesis, aspiration and/or injection; intermediate joint or bursa (eg, temporomandibular, acromioclavicular, wrist, elbow or ankle, olecranon bursa)	1.44
	20610	Arthrocentesis, aspiration and/or injection; major joint or bursa (eg, shoulder, hip, knee joint, subacromial bursa)	1.72
Ενδομυϊκές ενέσεις Τοπικές ενέσεις	96372	Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular	0.58
Παρακέντηση ή παροχέτευση - αιματώματος, συλλογής πύου, αποστήματος, ορογόνου θύλακα κ.λ.π.	20005	Incision and drainage of soft tissue abscess, subfascial (ie, involves the soft tissue below the deep fascia)	8.99
	23930	Incision and drainage, upper arm or elbow area; deep abscess or hematoma	10.27
	23931	Incision and drainage, upper arm or elbow area; bursa	8.28
	26010	Drainage of finger abscess; simple	7.58
	26011	Drainage of finger abscess; complicated (eg, felon)	11.18
	26991	Incision and drainage, pelvis or hip joint area; infected bursa	20.32
	27301	Incision and drainage, deep abscess, bursa, or hematoma, thigh or knee region	19.34
	27603	Incision and drainage, leg or ankle; deep abscess or hematoma	15.16
	27604	Incision and drainage, leg or ankle; infected bursa	13.72
	28001	Incision and drainage, bursa, foot	7.95

## Ορθοπαιδική

Agreed Description	CPT Code	CPT Description	CPT Weight
	28002	Incision and drainage below fascia, with or without tendon sheath involvement, foot; single bursal space	12.69
	28003	Incision and drainage below fascia, with or without tendon sheath involvement, foot; multiple areas	20.14

## Ορθοπαιδική

Agreed Description	CPT Code	CPT Description	CPT Weight
Συρραφή τραύματος	12001	Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); 2.5 cm or less	2.59
	12002	Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); 2.6 cm to 7.5 cm	3.15
	12004	Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); 7.6 cm to 12.5 cm	3.68
	12005	Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); 12.6 cm to 20.0 cm	4.63
	12006	Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); 20.1 cm to 30.0 cm	5.50
	12007	Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); over 30.0 cm	6.35
Αφαίρεση βελόνων "K"	20670	Removal of implant; superficial (eg, buried wire, pin or rod) (separate procedure)	10.81
Αφαίρεση εξωτερικής οστεοσύνθεσης	20680	Removal of implant; deep (eg, buried wire, pin, screw, metal band, nail, rod or plate)	17.68
	20694	Removal, under anesthesia, of external fixation system	12.19
Απεικονιστικός έλεγχος μυοσκελετικού συστήματος - ακτινογραφία*			
Απεικονιστικός έλεγχος μυοσκελετικού συστήματος - υπερηχογράφημα	76881	Ultrasound, extremity, nonvascular, real-time with image documentation; complete	3.52
	76882	Ultrasound, extremity, nonvascular, real-time with image documentation; limited, anatomic specific	3.44
	76942	Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization device), imaging supervision and interpretation	1.70

\* Χρειάζονται περισσότερες πληροφορίες/λεπτομέρειες για να είναι δυνατή η αντιστοίχιση με τις ιατρικές πράξεις του συστήματος κωδικοποίησης CPT