

Χειρουργική Αγγείων

Agreed Description	CPT Code	CPT Description	CPT Weight
Πρώτη επίσκεψη (Consultation)	99201	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A problem focused history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Physicians typically spend 10 minutes face-to-face with the patient and/or family.	1.26
	99202	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Physicians typically spend 20 minutes face-to-face with the patient and/or family.	2.12
	99203	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A detailed history; A detailed examination; Medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity. Physicians typically spend 30 minutes face-to-face with the patient and/or family.	3.05
	99204	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 45 minutes face-to-face with the patient and/or family.	4.65
	99205	Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Physicians typically spend 60 minutes face-to-face with the patient and/or family.	5.85

Χειρουργική Αγγείων

Agreed Description	CPT Code	CPT Description	CPT Weight
Επιπρόσθετη επίσκεψη (Follow-up consultation)	99211	Office or other outpatient visit for the evaluation and management of an established patient, that may not require the presence of a physician. Usually, the presenting problem(s) are minimal. Typically, 5 minutes are spent performing or supervising these services.	0.61
	99212	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A problem focused history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. <u>Physicians typically spend 10 minutes face-to-face with the patient and/or family.</u>	1.24
	99213	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: An expanded problem focused history; An expanded problem focused examination; Medical decision making of low complexity. Counseling and coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. <u>Physicians typically spend 15 minutes face-to-face with the patient and/or family.</u>	2.06
	99214	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A detailed history; A detailed examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. <u>Physicians typically spend 25 minutes face-to-face with the patient and/or family.</u>	3.04
	99215	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. <u>Physicians typically spend 40 minutes face-to-face with the patient and/or family.</u>	4.10
Arterial flow and pressure measurements of the extremities by means of Doppler ultrasound and cuffs	93922	Limited bilateral noninvasive physiologic studies of upper or lower extremity arteries, (eg, for lower extremity: ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus bidirectional, Doppler waveform recording and analysis at 1-2 levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus volume plethysmography at 1-2 levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries with, transcutaneous oxygen tension measurement at 1-2 levels)	2.51

Χειρουργική Αγγείων

Agreed Description	CPT Code	CPT Description	CPT Weight
Duplex scan examination of carotid arteries, aorta and peripheral arteries	93880	Duplex scan of extracranial arteries; complete bilateral study	5.81
	93886	Transcranial Doppler study of the intracranial arteries; complete study	7.78
Ultrasound extracranial/intracranial vessels	93979	Duplex scan of aorta, inferior vena cava, iliac vasculature, or bypass grafts; unilateral or limited study	3.46
Triplex scan of extracranial and intracranial vessels	93925	Duplex scan of lower extremity arteries or arterial bypass grafts; complete bilateral study	7.45
	93930	Duplex scan of upper extremity arteries or arterial bypass grafts; complete bilateral study	5.97
Ultrasound vessels of the limbs	93970	Duplex scan of extremity veins including responses to compression and other maneuvers; complete bilateral study	5.61
Ultrasound abdomen	76700	Ultrasound, abdominal, real time with image documentation; complete	3.49
	76705	Ultrasound, abdominal, real time with image documentation; limited (eg, single organ, quadrant, follow-up)	2.61
Ultrasound abdominal and retroperitoneal vessels	76770	Ultrasound, retroperitoneal (eg, renal, aorta, nodes), real time with image documentation; complete	3.23
Anticoagulation	93793	Anticoagulant management for a patient taking warfarin, must include review and interpretation of a new home, office, or lab international normalized ratio (INR) test result, patient instructions, dosage adjustment (as needed), and scheduling of additional test(s), when performed	0.34
Prostanoid therapy/intermittent fibrinolytic therapy of acute on chronic arterial disease	96365	Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour	2.06
Treatment of chronic venous ulcers	11046	Debridement, muscle and/or fascia (includes epidermis, dermis, and subcutaneous tissue, if performed); each additional 20 sq cm, or part thereof (List separately in addition to code for primary procedure)	2.09
Sclerotherapy	36470	Injection of sclerosing solution; single vein	3.00
Foam sclerotherapy	36471	Injection of sclerosing solution; multiple veins, same leg	5.39
Endovenous laser	36478	Endovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance and monitoring, percutaneous, laser; first vein treated	34.34